

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


In Re the Application of:)	Group Art Unit: 3751
)	
BALL)	Examiner: FETSUGA, ROBERT M
)	
Serial No.: 10/721,694)	Confirmation No.: 6303
)	
Filed: November 25, 2003)	<u>AMENDMENT AND RESPONSE AFTER</u>
)	<u>FINAL</u>
Atty. File No.: 5564-138B)	
)	
For: "CAP FOR SEALING A BATHTUB)	
OVERFLOW PORT FOR TESTING)	
PURPOSES")	

Certificate of E-Filing

I Heroby Certify That this Correspondence Is Being E-Filed with the United States Patent and Trademark Office on January 3, 2008.

SHERIDAN ROSS P.C.

BY:


Ginger Bovenkamp

Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Applicant submits this Amendment and Response to address the Office Action having a mailing date of August 27, 2007. Enclosed herewith is a petition for a two-month extension of time, thereby extending the time period for response from November 27, 2007 to January 28, 2008 (January 27, 2008 being a Sunday). The \$230.00 fee for such extension is being electronically submitted herewith. Please credit any overpayment or charge any underpayment to Deposit Account No. 19-1970.

Reconsideration and withdrawal of the rejections of the claims are respectfully requested in view of the following amendments and remarks.

Amendments to the Specification begin on page 2 of this paper;
Amendments to the Drawings begin on page 3 of this paper;
Amendments to the Claims begin on page 4 of this paper; and
Remarks/Arguments begin on page 6 of this paper.